CERTIFICATE OF COMPLIANCE

Certificate Number 20180706-E57648

Report Reference E57648-20080820

Issue Date 2018-JULY-06

Issued to: K. A. SCHMERSAL GMBH & CO. KG

MOEDDINGHOFE 30

42279 WUPPERTAL GERMANY

This is to certify that AUXILIARY DEVICES representative samples of See Addendum Page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-5-1 & CSA C22.2 No. 60947-5-1-14, Low-Voltage

Switchgear and Controlgear – Part 5-1: Control Circuit Devices and Switching Elements – Electromechanical

Control Circuit Devices

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC





CERTIFICATE OF COMPLIANCE

Certificate Number 20180706-E57648
Report Reference E57648-20080820
Issue Date 2018-JULY-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Limit Switches, Type 064 or 067, preceded by T. or T, may be preceded by J, S, X, A, V, L, 2A, 2E, C, Z, 2Z or 4D, followed by 02, 11, 12, 13, 20, 21, 22, 03, 30, 01/01, 10/10, 01/02, 02/01, 10/20 or 20/10, followed by y, may be followed by R, UE or H, may be followed by =#X##GR (=2x45GR, =2x30GR, =2x60GR, =1x45GR, =1x60GR, =1x90GR), may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters.

Limit Switches, Type 064 preceded by M. or M, may be preceded by A, V, L, X, J, 2A, 2E, C, S, Z, 2Z or 4D, followed by 12, 21, 03, 40, 04, 13, 30 or 22, followed by y, may be followed by L or LI, may be followed by R or UE or H or U, may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters.

Limit Switches, Type 130, preceded by T. or T, may be preceded by J, S, X, A, V, L, 2A, 2E, C, Z, 2Z or 4D, followed by 03, 04, 13, 33, 01/01, 10/10, 11/11, 12/12, 02/02, 20/20, 30/30, 30/03, followed by y, may be followed by R, UE or H, may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters.

Limit Switches, Type 136, preceded by T. or T, may be preceded by J, S, X, A, V, L, 2A, 2E, C, Z, 2Z or 4D, followed by 30, 03, 04, followed by y, may be followed by R, UE or H, may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters.

Limit Switches, Type 471, preceded by T. or T, may be preceded by J, S, X, A, V, L, 2A, 2E, C, Z, 2Z or 4D, followed by 01/01, 10/10, 11/11, 12/12, 02/02, 20/20, 21/21, 03/03, 30/30 followed by y, may be followed by R or UE or H, may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters.

Limit Switches, Type 471 preceded by M. or M, may be preceded by J, S, X, A, V, L, 2A, 2E, C, Z, 2Z or 4D, followed by 12, 21, 22, 33, 01/01, 10/10, 02/02, 20/20, 03/03, 11/11, 12/12, 21/21, 12/03, followed by y, may be followed by L, may be followed by R or UE or H, may be followed by M25, may be followed by RMS, may be followed by numbers and/or letters



Any information and docur contact a local UL Custome

Bruce Mahrenholz, Director North American Certification Program

UL LLC

