

Certificate of Compliance

Certificate Number:

UL-US-L57648-1163-
21607102-3

Report Reference:

E57648-20170612

Issue Date:

2024-05-22

Issued to:

**K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30 Wuppertal 42279
Germany**

This certificate confirms that representative samples of:
NKCR - Auxiliary Devices

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 60947-1, Edition 6, Issue Date 2022-05-31, UL 60947-5-1, 4th Ed., Issue Date: 2022-05-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L57648-1163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
215, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
216, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
226, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
315, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any	Auxiliary Device



David Picuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L57648-1163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	
316, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
Type PS216, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device
Type PS226, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device
Type PS315, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one	Auxiliary Device



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L57648-1163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	
Type PS316, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device



David Picuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L57648-3163-
21607102-3

Report Reference:

E57648-20170612

Issue Date:

2024-05-22

Issued to:

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30 Wuppertal 42279
Germany

This certificate confirms that representative samples of:
NKCR7 - Auxiliary Devices Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 60947-1:22, 3rd Ed., Issue Date: 2022-5-31, CSA C22.2 No. 60947-5-1:22, Edition 2, Issue Date 2022-05-31

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L57648-3163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
215, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
216, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
226, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L57648-3163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

315, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
316, preceded by PS or up to five alphanumeric characters, may be followed by L, may be followed by any four alphanumeric characters, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, may be followed by -G-ST -ST -STL,-STR, or -STM, may be followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by -2928, -3009, or 3031, may be followed by numbers and/or letters.	Auxiliary Device
Type PS216, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device
Type PS226, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device
Type PS315, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16,	Auxiliary Device



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L57648-3163-21607102-3
Report reference E57648-20170612
Date 2024-05-22

followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	
Type PS316, may be followed by S, may be followed by L, followed by -Z11, -Z02, -Z12, Z11R, Z02R, -Z12R, -T11, -T02, -T20, -T12, -T21, -T03, -T11UE, T02H or T11K, may be followed by A1, A2 or A3, may be followed by M16, followed by any four alphanumeric characters, may be followed by U and one digit, may be followed by X and one or two digits, may be followed by I, may be followed by T, may be followed by numbers and/or letters.	Auxiliary Device



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

