Certificate Number UL-CA-2011441-0

Report Reference E204286-20140521

**Date** 2-Feb-2021

Issued to: K.A. Schmersal GmbH & Co. KG

Moeddinghofe 30 Wuppertal

Germany 42279

This is to certify that representative samples of

NRKH7 - Proximity Switches Certified for Canada See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 60947-5-2-14, 1st Ed., Issue Date: 2014-

03-28

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program



Certificate Number UL-CA-2011441-0 Report Reference E204286-20140521

**Date** 2-Feb-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RSS 260, may be followed by I1 or I2, may be followed by D or SD, may be followed by F0 or F1, may be followed by Q, followed by –ST, -LSTM8-8-##M, -LSTM12-5-##M or -LSTM12-8-##M, may be followed by numbers and/or letters.	Inductive proximity switches, enclosed type

Bamere

Bruce Mahrenholz, Director North American Certification Program

(UL)

Certificate Number UL-US-2014414-0 Report Reference E204286-20140521

Date 2-Feb-2021

Issued to: K.A. Schmersal GmbH & Co. KG

Moeddinghofe 30 Wuppertal

Germany 42279

This is to certify that representative samples of

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-5-2, 3rd Ed., Issue Date: 2014-03-28

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

(U)

**Certificate Number** UL-US-2014414-0 **Report Reference** E204286-20140521

> **Date** 2-Feb-2021

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
RSS 260, may be followed by I1 or I2, may be followed by D or SD, may be followed by F0 or F1, may be followed by Q, followed by –ST, -LSTM8-8-##M, -LSTM12-5-##M or -LSTM12-8-##M, may be followed by numbers and/or letters.	Inductive proximity switches, enclosed type

Bruce Mahrenholz, Director North American Certification Program

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <a href="http://ul.com/aboutul/locations/">http://ul.com/aboutul/locations/</a>

