Certificate Number UL-US-2334778-2

Report Reference E315480-20080131

Date 13-Sep-2023

Issued to: ACE SCHMERSAL ELETROELETRONICA INDUSTRIAL

LTDA Av. Brasil 815

Jardim Esplanada

BOITUVA, SP 18550-000

Brazil

This is to certify that representative samples of

NKCR - Auxiliary Devices

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-5-1, 4th Ed., Issue Date: 2022-05-31

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, pleas contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



Certificate Number UL-US-2334778-2
Report Reference E315480-20080131

Date 13-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
TQ, followed by 900 or 901, followed by 02, 04, 11, 13, 20 or 22, may be followed by N, may be followed by	Pull-wire stop switches, enclosed type
XXXX, XXXX-X, XXXX-XX or XXXXX that do not affect the electrical ratings.	
ZQ, followed by 900 or 901, followed by 02, 04, 11, 13, 20 or 22, may be followed by N, may be followed by XXXX, XXXX-X, XXXX-XX or XXXXX that do not affect the electrical ratings.	Pull-wire stop switches, enclosed type

Octoah Jennings-Corner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

(U)

Certificate Number UL-CA-2330036-2
Report Reference E315480-20080131

Date 13-Sep-2023

Issued to: SCHMERSAL INDUSTRIAL SWITCHGEAR (SHANGHAI)

CO LTD

3336 Caoying Rd Qingpu District

Shanghai, Shanghai Shi 201712

China

This is to certify that NKCR7 - Auxiliary Devices Certified for Canada representative samples of See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 60947-5-1:22, Edition 2, Issue Date 2022-

05-31

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For question contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/.

Deborah Jennings-Conner. VP Regulatory Services

UL LLC





Certificate Number UL-CA-2330036-2
Report Reference E315480-20080131

Date 13-Sep-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
TQ, followed by 900 or 901, followed by 02, 04, 11, 13, 20 or 22, may be followed by N, may be followed by	Pull-wire stop switches, enclosed type
XXXX, XXXX-X, XXXX-XX or XXXXX that do not affect the electrical ratings.	
ZQ, followed by 900 or 901, followed by 02, 04, 11, 13,	Pull-wire stop switches, enclosed type
20 or 22, may be followed by N, may be followed by	
XXXX, XXXX-X, XXXX-XX or XXXXX that do not affect	
the electrical ratings.	

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

