



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010305668599

NAME AND ADDRESS OF THE APPLICANT

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND ADDRESS OF THE MANUFACTURER

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND LOCATION OF THE FACTORY

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

PRODUCT NAME,MODEL AND SPECIFICATION

Limit Switches

M/T.064、M/T.067、M/T.471、M/T.130 ; Ui:500V; Uimp:6kV; Ith:25A ; AC-15:Ue/Ie: M/T.064:
400V/25A ; M/T.067、M/T.471、M/T.130: 230V/10A; IP65 ; See the Appendix for type explanation

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

Valid from: Aug.01,2024

Valid until: Jul.31,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，不得单独使用
This translated document does not have legal validity and cannot be used in isolation

CERTIFICATE NO. : 2024010305668599

Appendix : Page 1 of 2

Type description :

(1)(2) (3)-(4) Y-(5)-(6)				
Number	Option	Description		Remark Availability
(1)	T	Slow action	缓动	
	M	Snap action	速动	Not for 067,130
(2)	S	Plunger S	直杆 S	only for 064
	J	Offset Roller Lever J	滚轮 J 型连杆	only for 064
	X	Offset Roller Lever X	滚轮 X 型连杆	only for 064
	L	Roller Lever L	滚轮 L 型连杆	
	V	Roller Lever V	滚轮 V 型连杆	
	C	Fork Lever C	叉形 C 型连杆	
	A	Roller Lever A	滚轮 A 型连杆	
	Z	Pull Lever Z	拉线 Z 型摇臂	
	D	Roller Lever D	滚轮 D 型连杆	
	4D	Offset Roller Lever 4D	滚轮 4D 型连杆	
	2A	Roller Lever 2A	滚轮 2A 型连杆	
	2Z	Pull Lever 2Z	拉线 2Z 型摇臂	
	.	Switch without actuator; to be completed with one of the actuators mentioned above	开关无操动机构，带以上提到的任一操动件将是完整的	
(3)	064	Up to 4 contacts, basic switch size 154x149x111	最多 4 个触点，基本开关尺寸 154x149x111	without actuator
	067	2 contacts, basic switch size 155x142x111	2 个触点，基本开关尺寸 155x142x111	without actuator
	130	up to 6 contacts, basic switch size 154x170x120	最多 6 个触点，基本开关尺寸 154x170x120	without actuator
	471	up to 6 contacts, basic switch size 154x170x120	最多 6 个触点，基本开关尺寸 154x170x120	without actuator
(4)	01	1 NC	1 常闭触点	064
	11	1 NO, 1 NC	1 常开，1 常闭触点	064, 067
	02	2 NC	2 常闭触点	067
	20	2 NO	2 常开触点	067
	12	1 NO, 2 NC	1 常开，2 常闭触点	064, 471
	21	2 NO, 1 NC	2 常开，1 常闭触点	064, 471
	03	3 NC	3 常闭触点	064
	30	3 NO	3 常开触点	064
	22	2 NO, 2 NC	2 常开，2 常闭触点	064, 471

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.




CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2024010305668599

Appendix : Page 2 of 2



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.