



中国国家强制性产品认证证书

证书编号: 2024010305668645

认证委托人名称及地址

K. A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

生产者名称及地址

K. A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

生产企业名称及地址

K. A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

产品名称和系列、型号、规格

联锁开关

AZM 161/ AZM 161i, AZM 170/ AZM 170i; Uimp: 4kV(AZM161(i)ST: 8-pole plug: 0.8kV); Ui:
250V (AZM161(i)ST: 8-pole plug: 60V); Ith: 6A (AZM161(i)ST 8-pole plug: 2A);
AZM161(i):AC-15:4A/230VAC;DC-13:2.5A/24VDC; M12 connector,8poles:DC-13:2A/60VDC;
AZM170(i): AC-15:4A/230VAC; DC-13:4A/24VDC; IP67; 型号解释见附件

产品标准和技术要求

GB/T 14048.5-2017

上述产品符合《强制性产品认证实施规则 低压电器 低压元器件》
(CNCA-C03-02:2024)的要求, 特发此证。

发证日期: 2024年08月01日 有效期至: 2029年07月31日

证书信息和有效性可扫描下方二维码或登录发证机构网站查验,
也可在认监委网站 (www.cnca.gov.cn) 查询。



签发:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司





中国国家强制性产品认证证书

证书编号：2024010305668645

证书附页：第 1 页 共 3 页

型号的解释：

Ordering Details and explanation of variants of AZM161, AZM 161i- AZM 170, AZM 170i

Annex – ordering Details

Explanation of AZM ordering code						
AZM161(1)-(2)(3) (4)(5)-(6)-(7)(8)-(9)-(10)						
AZM170(1)-(2)Z(3) (4)(5)-(6)-(8)-(9)-(10) (7)						
#	Option	Description	Available for...			
			...AZM161	...AZM161i	...AZM170	...AZM170i
(1)	(blank)	IDC technology			X	X
	CC	Cage clamps	X	X	X	
	SK	Screw terminals	X	X	X	X
	ST	M12 x 1 connector	X	X	X	X
(2)	11	1 NO/1 NC			X	X
	02	2 NC			X	X
	02/01	3 NC			X	X
	02/10	1 NO/2 NC			X	X
	11/11	2NO/2NC			X	X
	11/02	1NO/3NC			X	X
	11/03	1NO/4NC	X			
	11/12	2NO/3NC	X			
	12/00	1NO/2NC			X	
	12/02	1NO/4NC			X	
	12/03	1NO/5NC	X	X		
	12/11	2NO/3NC	X		X	
	12/12	2NO/4NC	X	X		

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号：2024010305668645

证书附页：第 2 页 共 3 页

(3)	Blank	Latching force 5 N	X	X	X	X
	R	Latching force 30 N	X	X	X	X
(4)	K	Suited for Standard Actuator	X		X	
	I	Actuator with individual coding provided		X		X
(5)	blank	Power to unlock	X	X	X	X
	A	Power to lock	X	X	X	X
(6)	Blank	Cable gland			X	X
	Blank	Manual release lateral	X			
	ED	manual release front-side (a)	X	X		
	EU	manual release rear (b)	X	X		
	T	Emergency exit lateral	X	X		
	TD	Emergency exit front-side (b)	X	X		
	TU	Emergency exit rear (a)	X	X		
	N	Emergency release	X			
	ST	M12 x 1 connector			X	X

本页为证书附页，应与证书主页同时使用。



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司



中国国家强制性产品认证证书

证书编号：2024010305668645

证书附页：第 3 页 共 3 页

(7)	024	Us 24 VAC/DC	X	X		
	24	Us 24 VAC/DC			X	X
	VAC/DC					
	110/230	Us 110/230 VAC	X			
	110 VAC	Us 110 VAC			X	X
	230 VAC	Us 230 VAC			X	X
(8)	blank	Manual release			X	X
	blank	without LED indicator	X	X		
	G	with LED indicator	X	X		
(9)	B1	Actuator particularly suited for sliding doors included		X		X
	B5	Actuator for hinged door included				X
	B6L	Actuator for swing door, left hand side included		X		X
	B6R	Actuator for swing door, right hand side included		X		X
(10)	xxxx-xx:	Indicator for minor customer-specific design change, without change for function or structure (only when necessary)	X	X	X	X
)						

Remarks:

-not all combinations are available

(a) Combination of ED and TU features is possible, designation "ED/TU"

(b) Combination of TD and EU features is possible, designation "TD/EU"

(c) AZM161i and AZM 170i: Letter "i" is in order to emphasize that there is a product with individual coding. Actually feature "I" is located in the middle of the ordering code (4).

本页为证书附页，应与证书主页同时使用。



中国质量认证中心

CHINA QUALITY CERTIFICATION CENTRE

中国质量认证中心有限公司