



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010305670062

NAME AND ADDRESS OF THE APPLICANT

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND ADDRESS OF THE MANUFACTURER

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND LOCATION OF THE FACTORY

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

PRODUCT NAME,MODEL AND SPECIFICATION

Door Switch
AZ 215, AZ216, AZ315, AZ316;See the appendix

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

Valid from: Aug.02,2024

Valid until: Aug.01,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2024010305670062

Appendix : Page 1 of 2

AZ215, AZ216, AZ315, AZ316

Uimp: 4kV;


Ui:300V;

Ith:10A(2 sets of contacts),5A(3 sets of contacts);

AC-15: Ue/Ie: AC240V/3A;

DC-13: Ue/Ie: DC24V/3A;

IP66, IP67.



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，不得单独使用
This translated document does not have legal validity and cannot be used in isolation

CERTIFICATE NO. : 2024010305670062

Appendix : Page 2 of 2

3.3 型号的解释(Explanation of model/ type):

Annex I: Ordering Code

AZ215-(1)(2)-(3)-(4)-(5)-(6)	Metal enclosure, small version, screw cover 金属外壳, 窄小版, 螺钉固定外盖
AZ216-(1)(2)-(3)-(4)-(5)-(6)	Plastic enclosure, small version, snap cover 塑料外壳, 窄小版, 非螺钉固定外盖
AZ315-(1)(2)-(3)-(4)-(5)-(6)	Metal enclosure, wide version, snap cover 金属外壳, 宽版, 非螺钉固定外盖
AZ316-(1)(2)-(3)-(4)-(5)-(6)	Plastic enclosure, wide version, snap cover 塑料外壳, 宽版, 非螺钉固定外盖

No	Option	Explanation	
(1)	Z11	Snap action 1NO + 1NC	速动, 1 常开, 1 常闭触点
	Z02	Snap action 2NC	速动, 2 常闭触点
	Z12	Snap action 1NO + 2NC	速动, 1 常开, 2 常闭触点
	T11	Slow action 1NO + 1NC	缓动, 1 常开, 1 常闭触点
	T02	Slow action 2NO	缓动, 2 常开触点
	T12	Slow action 1NO + 2NC	缓动, 1 常开, 2 常闭触点
	T03	Slow action 3NO	缓动, 3 常开触点
(2)	Blank	Latching of actuator(12N)	手动复位 (12N)
	R	Latching of actuator(30N)	手动复位 (30N)
(3)	Blank	standard	标准型
	A1	Sliver contact with gold coating	银触点镀金
(4)	Blank	Standard(cable entry M20)	标准型 (M20J 接线孔)
	ST	Connector version	连接器版本
(5)	Blank	Actuator head rotation=0°	附件壳不转动
	U2	Actuator head rotation=90°	附件壳顺时针 90°
	U4	Actuator head rotation=180°	附件壳顺时针 180°
	U6	Actuator head rotation=270°	附件壳顺时针 270°
(6)	XXX-XX	Indicator for minor customer-specific design change for function or structure	针对客户特殊需求, 不改变产品结构和功能

注: 型号中出现的字母不区分大小写;

型号中出现的“空格”、“-”、“/”无任何技术含义, 仅增加可读性。

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.