



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2024010303669705

NAME AND ADDRESS OF THE APPLICANT

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND ADDRESS OF THE MANUFACTURER

K.A. Schmersal GmbH & Co. KG
Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND LOCATION OF THE FACTORY

K.A. Schmersal GmbH & Co. KG
Im Ostpark 2, D-35435 Wettenberg, Germany

PRODUCT NAME,MODEL AND SPECIFICATION

Relay

SRB-E-...;Ui:250V;Uimp:4kV,6kV;lth:6A;AC-15:Ue/Ie:230V/4A;DC-13:Ue/Ie:24V/4A;IP40(case),IP
20(Terminal);See the appendix

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

Valid from: Aug.02,2024

Valid until: Aug.01,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2024010303669705

Appendix : Page 1 of 2

Type description:

SRB-E (1)(2)(3)(4)-(5)-(6)

(1)	0...9	0...9x Stop 0 contacts	0...9 安全触点, 停止类别 0	*)
(2)	0...9	0...9x Stop 1 contact	0...9 安全触点, 停止类别 1	*)
(3)	0...9	0...9x Auxilliary contact	0...9 辅助触点	
(4)	ST	Standard	标准	
	LC	Low Comfort	低舒适度	
	MC	Medium Comfort	中等舒适度	
	PE	Port Expansion	端口扩展	
	TH	(for) Two Hand control panel	(用于) 双手控制面板	
	SM	(for) Safety Mats	(用于) 安全垫	
	DR	Double Reset	双重重置	
	FWS-TS	Timer Safety	定时器安全	
	EM	Expansion Module	扩展模块	
	OEM +2digits	Consecutive number, customer specific software for internal controls, with special functions for different customer	连续数量, 客户特定的内部控制软件, 具有针对不同客户的特殊功能	
	OEM +9digits	Customer number, customer specific software for internal controls, with special functions for single customer	客户编号, 客户特定的内部控制软件, 为个别客户提供特殊功能	

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2024010303669705

Appendix : Page 2 of 2

(5)	Blank	Screw type terminal blocks	拧接式接线端子	
	CC	Spring type terminal blocks	弹簧式接线端子	
(6)	Blank	Standard	标准类型	
	3MIN	Preset ON delay 3 min	预设开启延迟 3 分钟	
	5MIN	Preset ON delay 5 min	预设开启延迟 5 分钟	

*) Sum of Stop0 and Stop1 contacts ≤ 9 ; max. 9 relay outputs
Stop0 和 Stop1 触点的总和 ≤ 9 ; 最多 9 个继电器输出



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.