This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024010303669713

NAME AND ADDRESS OF THE APPLICANT

K.A. Schmersal GmbH & Co. KG Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND ADDRESS OF THE MANUFACTURER

K.A. Schmersal GmbH & Co. KG Moeddinghofe 30, D-42279 Wuppertal, Germany

NAME AND LOCATION OF THE FACTORY

K.A. Schmersal GmbH & Co. KG Im Ostpark 2, D-35435 Wettenberg, Germany

PRODUCT NAME, MODEL AND SPECIFICATION

Relay

SRB301ST,SRB301SQ,SRB402EM,SRB301AN,AES1337;Ui:250V;Uimp:4kV;AC-15:Ue/Ie:230V/6A ;DC-13:Ue/Ie:24V/6A ; Ith:6A ; IP40(Housing) , IP20(Terminal)

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 14048.5-2017

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C03-02:2024).

Valid from: Aug.02,2024 Valid until: Aug.01,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE: 谢肇顺



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024010303669713

Appendix: Page 1 of 2

Type description:

SRB-E (1)(2)(3)(4)-(5)-(6)

1)	09	09x Stop 0 contacts	09 安全触点,停止类别 0	*)
(2)	09	09x Stop 1 contact	09 安全触点,停止类别 1	*)
(3)	09	09x Auxilliary contact	09 辅助触点	6
(4)	ST	Standard	标准	6
	LC	Low Comfort	低舒适度	
	MC	Medium Comfort	中等舒适度	
	PE	Port Expansion	端口扩展	
	TH	(for) Two Hand control panel	(用于) 双手控制面板	
	SM	(for) Safety Mats	(用于)安全垫	
	DR	Double Reset	双重重置	
	FWS-TS	Timer Safety	定时器安全	
	EM	Expansion Module	扩展模块	
	OEM +2digits	Consecutive number, customer specific software for internal controls, with special functions for different customer	连续数量,客户特定的内部控制软件,具有针对不同客户的特殊功能	
	OEM +9digits	Customer number, customer specific software for internal controls, with special functions for single customer	客户编号,客户特定的内部控制软件,为个 别客户提供特殊功能	

This page is attached to the certificate and should be used at the same time as the certificate page.



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024010303669713

Appendix: Page 2 of 2

(5)	Blank	Screw type terminal blocks	拧接式接线端子	
	CC	Spring type terminal blocks	弹簧式接线端子	
(6)	Blank	Standard	标准类型	
	3MIN	Preset ON delay 3 min	预设开启延迟 3 分钟	
	5MIN	Preset ON delay 5 min	预设开启延迟 5 分钟	

*) Sum of Stop0 and Stop1 contacts ≤9; max. 9 relay outputs Stop0 和 Stop1 触点的总和≤9; 最多 9 个继电器输出



This page is attached to the certificate and should be used at the same time as the certificate page.



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.